

600 East A Street, Davis Ca 95620-3697 Phone: (707) 678-7000 Fax: (707) 678-0960 Website: www.cityofdixonca.gov Email: building@cityofdixonca.gov

ADU/JADU Built Without a Permit AB 2533

Accessory Dwelling Units (JADUs) City of Dixon - AB 2533 Compliance- Checklist and Permitting

As of recent legislation, The City of Dixon may not deny permits for Accessory Dwelling Units (ADUs) or Junior Accessory Dwelling Units (JADUs) built before January 1, 2020, due to code violations, except where those corrections are necessary to meet health and safety standards to avoid being classified as substandard.

This notice outlines important guidelines for homeowners who own unpermitted ADUs or JADUs built before January 1, 2020.

Important notes for owners

1. Permit Application Process

- o If your ADU or JADU was built before January 1, 2020, you may apply for a permit without penalty.
- Verification of the date of construction of the ADU/JADU may be required at the time of permit submittal. Please have reciepts, date-stamped photos, copies of invoices or contracts, assessor inventory documents, etc. available to verify that dwelling unit is eligible.
- The permit will be a Change of Occupancy permit and may be applied for here City of Dixon, CA
- o After the permit is issued city inspections will be requird (minimum 2 inspections)

2. Substandard Conditions Checklist (Begining on page 2)

 Review the checklist to identify conditions that could be considered substandard. Any violations impacting health and safety must be corrected before applying for a permit.

3. Confidential Inspection Option

Before applying for a permit, you may choose to get a confidential, third-party inspection from a licensed contractor/engineer to identify potential issues.

4. Health and Safety Compliance

The homeowner or licensed engineer/contractor shall conduct an inspection to ensure your unit complies with health and safety standards. Only necessary corrections will be required, specifically for safety. This inspection is required prior to applying for a permit from the City of Dixon and the results will be required at submittal

5. Fee Limitations

 Impact fees, connection charges, or capacity charges will not be required, except in certain cases where applicable.

Rev. 11/17/2025

AB 2533 Checklist for Identifying Substandard Conditions

Use this checklist to identify any conditions that may endanger health, safety, or welfare. If any of these conditions are present, the building may be classified as substandard and require corrections before submitting your permit application.

Substandard Housing Inspection Checklist (HSC 17920.3)

The Third-Party Inspector hired by the property owner must ensure that all inspections comply with California State Housing Law and HSC Section 17920.3, which identifies and defines substandard housing conditions. Below is a checklist of conditions to be inspected, though it is not limited to these where other life safety items may be identified in the field:

Smoke Detector	'S:	
Compliant	Violation	Description
		Operational and installed in every sleeping room.
		Installed outside each separate sleeping area in the immediate vicinity (hallways).
		Installed on every level of the dwelling unit, including basements.
Carbon Monoxid	de Alarms:	
Compliant	Violation	Description
		Operational and installed outside each separate sleeping area in the immediate vicinity of bedrooms (hallways) on every occupiable level including basements, and in bedrooms with fireplaces.
		If there is an attached garage with an opening into the dwelling unit, or a fuel-fired appliance or fireplace in the home, alarms should be installed in each level of the dwelling.
Emergency Egre	ss Windows (for S	Sleeping Rooms):
Compliant	Violation	Description
		Emergency egress windows are provided in every sleeping room.
		The window must have a minimum clear opening width of 20 inches and a clear opening height of 24 inches.
		The window must provide a minimum net clear opening of 5.7 square feet
		(or 5 square feet for ground-floor windows).
		There are no obstructions (such as bars, grilles, or security devices) that could impede escape or rescue in an emergency.
Inadequate Sani	itation:	
Compliant	Violation	Description
		Proper water closet, lavatory, or bathtub or shower in a dwelling unit.
		Proper kitchen sink.
		Hot and cold running water to plumbing fixtures.
		Adequate heating.
		Proper operation of required ventilating equipment.
		A minimum of 8% of natural light and 4% of ventilation is provided based
		on existing floor area of habitable room(s) Habitable room floor areas are not less than 70 square feet, and not less
		Page 2 of 4

		than 7 feet in any horizontal dimension, except kitchens.	
		Required electrical lighting is provided.	
		Habitable rooms have no signs of dampness.	
		Infestation of insects, vermin, or rodents are not present.	
		Visible mold growth is not present, excluding the presence of mold that is	
	_		
		minor and found on surfaces that can accumulate moisture as part of their	
		properly functioning and intended use.	
Compliant	Violation	Description	
П	П	Conoral dilanidation or improper maintenance of the unit is not present	
	Ш	General dilapidation or improper maintenance of the unit is not present.	
		Connection to required sewage disposal system.	
		Proper garbage and rubbish storage and removal facilities are present.	
Structural Haz	ards include but n	ot limited to:	
Compliant	Violation	Description	
Compliant	Violation	Description	
_	_		
		Adequate foundations are provided. May require exposing an area of	
		foundation to verify.	
		Adequate flooring or floor supports are provided.	
		Flooring or floor supports are of sufficient size to carry imposed loads with	
ш			
		safety.	
		There are no present members of walls, partitions, or other vertical	
		supports that split, lean, list, or buckle due to defective material or	
		deterioration.	
		There are no apparent members of walls, partitions, or other vertical	
		supports that are of insufficient size to carry imposed loads with safety.	
		There are present members of ceilings, roofs, ceiling and roof supports, or	
		other horizontal members which sag, split, or buckle due to defective	
		material or deterioration.	
		There are no apparent members of ceilings, roofs, ceiling and roof	
		supports, or other horizontal members that are of insufficient size to carry	
		imposed loads with safety.	
		There are no present fireplaces or chimneys which list, bulge, or settle	
		due to defective material or deterioration.	
		There are no apparent fireplaces or chimneys which are of insufficient size	
		or strength to carry imposed loads with safety.	
Any nuisance	and the following		
Compliant	Violation	Description	
		All wiring, except that which conformed with all applicable laws in effect at	
		the time of installation if it is currently in good and safe condition and	
		· -	
_	_	working properly.	
		All plumbing, except plumbing that conformed with all applicable laws in	
		effect at the time of installation and has been maintained in good	
		condition, or that may not have conformed with all applicable laws in	
		effect at the time of installation but is currently in good and safe condition	
		and working properly, and that is free of cross connections and siphonage	
		between fixtures.	
		All mechanical equipment, including vents, except equipment that	
		conformed with all applicable laws in effect at the time of installation and	
		that has been maintained in good and safe condition, or that may not	
		have conformed with all applicable laws in effect at the time of installation	
		but is currently in good and safe condition and working properly.	
		Page 3 of 4	

_		
		There is no faulty weather protection present which may include:
		(1) deteriorated, crumbling or loose plaster (2) deteriorated or ineffective waterproofing of exterior walls
		(2) deteriorated or ineffective waterproofing of exterior walls, roofs, foundations or floors, including broken windows or doors
		(3) defective or lack of weather protection for exterior wall coverings, including lack of paint, or weathering due to lack of paint or other approved protective covering
Compliant	Violation	Description
		(4) broken, rotted, split, or buckled exterior wall coverings or roof coverings.
		Any building or portion thereof, device, apparatus, equipment, combustible waste, or vegetation that, in the opinion of the city building inspector or third-party inspector, is in such a condition as to cause a fire or explosion or provide a ready fuel to augment the spread and intensity of fire or explosion arising from any cause.
		All materials of construction, except those that are specifically allowed or approved by this code, and that have been adequately maintained in good and safe condition.
		There are no accumulation of weeds, vegetation, junk, dead organic matter, debris, garbage, offal, rodent harborages, stagnant water, combustible materials, and similar materials or conditions constitute fire, health, or safety hazards.
		Any building or portion thereof that is determined to be an unsafe building due to inadequate maintenance, in accordance with the latest edition of the California Building Code.
		All buildings or portions thereof not provided with adequate exit facilities as required by this code, except those buildings or portions thereof whose exit facilities conformed with all applicable laws at the time of their construction and that have been adequately maintained and increased in relation to any increase in occupant load, alteration or addition, or any change in occupancy. When an unsafe condition exists through lack of, or improper location of, exits, additional exits may be required to be installed.
		All buildings or portions thereof that are not provided with the fire resistive construction or fire-extinguishing systems or equipment required by this code, except those buildings or portions thereof that conformed with all applicable laws at the time of their construction and whose fire resistive integrity and fire-extinguishing systems or equipment have been adequately maintained and improved in relation to any increase in occupant load, alteration or addition, or any change in occupancy.
		Possible inadequate structural resistance to horizontal forces.
•	d the homeowne	bstandard housing checklist are minimum requirements, to ensure adequate safety it is r hire a California Licensed Engineer or California Licensed Contractor to perform the third-
		Date:
Email:		
Telephone:		
Company Nan	ne (Print):	Name (Print): License #:
Telephone:		
City Building I	nspector Name: ₋	Date: